

Pre IP Blocking System

Default page: (install.asp)

1. The default page will ask the admin path (to copy admin file) and Redirect path.
2. The admin path will be the path of your admin folder where you want to copy your Admin files.
3. The Redirect page which will be displayed when a user of blocked IP visit your website.
4. On pressing "**Install**" button admin table and blocked IP list table will be created in database.

Pre IP Blocking System

Admin Path is the path where your admin folder will be created and Admin files will be copied. Redirect path is a path of page which will be displayed when a user of blocked IP visits your website.

| Enter the Information Below | |
|--|--|
| Admin Path: | <input type="text" value="/ipbs-3/"/> |
| Redirect Path: | <input type="text" value="http://localhost/"/> |
| <input type="button" value="Install"/> | |

Enter Login ID and Password for the Admin. It will create a safe Admin account for your IP Blocking System.

Pre IP Blocking System

Admin table is created. Please enter your admin login and password...


| Login | |
|---------------------------------------|--------------------------|
| Login ID: | <input type="text"/> |
| Password: | <input type="password"/> |
| <input type="button" value="Create"/> | |

Now your IP Blocking System is successfully installed. To use IP Blocking System for your website you need to include **blockip.asp** file in your required page where you want to enable IP Blocking System. For example you want to enable the IP Blocking System in your Product Purchasing Page (**Purchases.asp**) Enter following line on the top of the page.

```
<!-- #include file = "blockip.asp" -->
```

Now Log in to Admin. Also note your Admin URL for next time Login.

IP Blocking System is Successfully installed. Include this file "ipblock.asp" in a your file where you want to enable the blocking system. See the example beleow"



```
1 <!-- #include file="blockip.asp" -->
2 <%
3 if session("CustID") <> "" then set rs=mallcon.Execute("
  2-1) 'Response.wr
4 sql=""
```

Login as admin

To access your admin panel note down this address: <http://localhost/assign2/Admin/index.asp>

Enter Admin ID and password you created during the installation process and press **"Go"** button



Admin Login

Please Login Here

Login Name

Password

On Admin panel you will see the screen below. Here you can add IPies by using the **"ADD IP"** button. Make sure only integer values should be added. The **"TEST IP"** button check for an IP that is Blocked or Allowed. The table below shows the list of the IPies in database entered by Admin. The status shows that IP is **"Allowed"** or **"Blocked"**. You can change the status by clicking **"Block"** or **"Unblock"** buttons. **"Unblock"** button allows the IP to visit website or you can simply deletes the IP from the database by pressing the **"Delete"** button. You can add rang of IPies by the **"ADD RANGE"** button. **"ADD COUNTRY"** button can block a whole country. Country list contains more then 225 countries.

Pre IP Blocking System
PASSWORD ADMIN | IP BLOCKING | LOGOUT

View Block IP's List

NOTE : Please enter single IP always in correct format like 10.0.0.0

| | |
|--|---|
| <input type="button" value="ADD IP"/> | <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> |
| <input type="button" value="ADD RANGE"/> | <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> - <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> |
| <input type="button" value="ADD COUNTRY"/> | <input style="width: 100%; border: 1px solid #ccc;" type="text" value="Select Country"/> <input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="v"/> |
| <input type="button" value="TEST IP"/> | <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> <input style="width: 20px; border: 1px solid #ccc;" type="text" value="."/> |

| S# | IP | COUNTRY | STATUS | DELETE IT |
|----|---------------------|---------------|--|-----------|
| 1 | 198.12.12.1 | NA | Blocked - Unblock | Delete |
| 2 | 168.15.45.4 | NA | Allowed - Block | Delete |
| 3 | 100.0.0.0-200.0.0.0 | NA | Blocked - Unblock | Delete |
| 4 | NA | United States | Blocked - Unblock | Delete |
| 5 | NA | Israel | Blocked - Unblock | Delete |
| 6 | 21.2.1.2-25.0.0.1 | NA | Allowed - Block | Delete |
| 7 | 64.56.56.52 | NA | Blocked - Unblock | Delete |
| 8 | NA | India | Blocked - Unblock | Delete |
| 9 | NA | Pakistan | Allowed - Block | Delete |

The **"logout"** button at the top of the screen logout from admin and take you to the login page. The **Password Admin** button can be used to change the admin login and password.

Pre IP Blocking System
PASSWORD ADMIN | IP BLOCKING | LOGOUT

Change Password

You are Logged in as Site Administrator

| | |
|---------------------|--|
| Old Password | <input style="width: 80%;" type="text"/> |
| New Password | <input style="width: 80%;" type="text"/> |
| Retype New Password | <input style="width: 80%;" type="text"/> |
| | <input type="button" value="Change"/> |

Copyright © 2005 Preprojects.com